

Printing date: 05/18/2016

Revision: 05/18/2016

1 Identification	
Product identifier	
· Trade name: Kocide® 3000	
• Other means of identification: DF B12015094 DPX-GFJ52 30WG GX-569 30WG Kocide® Opti Kocide® 46.1	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Fungicide</li> <li>Restrictions on use: Contact manufacturer</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: Kocide LLC</li> <li>9145 Guilford Road, Suite 175 Columbia, MD 21046</li> <li>USA Tel: +1 301-604-5365</li> </ul>	
• Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585	
2 Hazard(s) identification	
<ul> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture <ul> <li>Acute Tox. 4 H302 Harmful if swallowed.</li> <li>Acute Tox. 4 H332 Harmful if inhaled.</li> <li>Eye Irrit. 2B H320 Causes eye irritation.</li> </ul> </li> <li>Additional information: <ul> <li>See Section 15 for specific EPA FIFRA label information.</li> <li>To avoid risks to human health and the environment, comply with the instructions for use 0 % of the mixture consists of component(s) of unknown toxicity.</li> </ul> </li> </ul>	
<ul> <li>Classification of the substance or mixture         Acute Tox. 4 H302 Harmful if swallowed.         Acute Tox. 4 H332 Harmful if inhaled.         Eye Irrit. 2B H320 Causes eye irritation.         Additional information:         See Section 15 for specific EPA FIFRA label information.         To avoid risks to human health and the environment, comply with the instructions for use     </li> </ul>	
<ul> <li>Classification of the substance or mixture         Acute Tox. 4 H302 Harmful if swallowed.         Acute Tox. 4 H332 Harmful if inhaled.         Eye Irrit. 2B H320 Causes eye irritation.         Additional information:         See Section 15 for specific EPA FIFRA label information.         To avoid risks to human health and the environment, comply with the instructions for use 0 % of the mixture consists of component(s) of unknown toxicity.     </li> <li>Label elements         GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS)     </li> </ul>	



Printing date: 05/18/2016

Trade name: Kocide® 3000

Revision: 05/18/2016

(Cont'd. of page 1)

46.1%

tements:
Avoid breathing dust.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If eye irritation persists: Get medical advice/attention.
IF ŚWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
Rinse mouth.
Dispose of contents/container in accordance with local/regional/national/international regulations.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

20427-59-2 copper dihydroxide

Acute Tox. 3, H301; Acute Tox. 3, H331

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

# 4 First-aid measures

# Description of first aid measures General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

#### • After inhalation:

Supply fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### • After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

(Cont'd. on page 3)



Revision: 05/18/2016

Printing date: 05/18/2016

Trade name: Kocide® 3000

(Cont'd. of page 2)

Most important symptoms and effects, both acute and delayed: Coughing Irritant to eyes.
Gastric or intestinal disorders when ingested.
Nausea in case of ingestion.
Danger: Danger of convulsion.
Danger of impaired breathing.
Causes serious eye irritation.
Harmful if swallowed or if inhaled.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Treat symptomatically.

### 5 Fire-fighting measures

• Extinguishing media

Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

Water spray

• For safety reasons unsuitable extinguishing agents: Water stream.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

#### Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

### Wear fully protective suit.

Additional information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

<sup>•</sup> Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Isolate area and prevent access.

#### Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

### Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Do not flush with water or aqueous cleansing agents

(Cont'd. on page 4)

# Kocide LLC

#### Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/18/2016

Trade name: Kocide® 3000

Revision: 05/18/2016

(Cont'd. of page 3)

#### <sup>•</sup> Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

#### <sup>·</sup> Handling

#### · Precautions for safe handling:

Thorough dedusting.

Any deposit of dust which cannot be avoided must be regularly removed.

Use only in well ventilated areas.

Use personal protective equipment as required.

Wash contaminated clothing before reuse.

• **Information about protection against explosions and fires:** Dust can combine with air to form an explosive mixture.

Protect from heat.

# • Conditions for safe storage, including any incompatibilities

• **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

Provide ventilation for receptacles.

Information about storage in one common storage facility:

Protect from humidity and water.

- Store away from foodstuffs.
- Do not store together with acids.

#### · Further information about storage conditions:

Keep containers tightly sealed.

Storage Temperatures : <95 °F / <35 °C.

• Specific end use(s): No relevant information available.

# 8 Exposure controls/personal protection

### <sup>·</sup> Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### <sup>•</sup> Exposure controls

#### • Engineering measures

Ensure adequate ventilation, especially in confined areas. Provide for appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended limits.

· Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.


(Cont'd. on page 5)



Printing date: 05/18/2016

Revision: 05/18/2016

Trade name: Kocide® 3000



Follow relevant national guidelines concerning the use of protective eyewear.

(Cont'd. on page 6)



Printing date: 05/18/2016

Trade name: Kocide® 3000

Revision: 05/18/2016

#### (Cont'd. of page 5) Body protection: Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2) Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Spray application - outdoor: Tractor / sprayer with hood: No personal body protection normally required. Tractor / sprayer without hood: Low application (horticulture, field crops): Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Middle-height application: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Backpack / knapsack sprayer: Low application (horticulture, field crops): Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Middle-height application: Full protective clothing Type 4 (EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345). Mechanical automatized spray application in closed tunnel: No personal body protection normally required. When exceptional circumstances require an access to the treated area before the end of re-entry periods, wear full protective clothing Type 6 (EN 13034), nitrile rubber gloves class 3 (EN 374) and nitrile rubber boots (EN 13832-3 / EN ISO 20345). To optimize the ergonomy it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier. Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use. The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

Information on basic physical a	and chemical properties	
Appearance:		
Form:	Solid	
	Granulate	
Color:	Blue	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	7.5-9.5	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
	r roudet does not present an explosion nazard.	(Cont'd. on p



Printing date: 05/18/2016

Revision: 05/18/2016

Trade name: Kocide® 3000

		(Cont'd. of page 6
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density:	Not determined.	
· Vapor density:	Not applicable.	
<ul> <li>Evaporation rate:</li> </ul>	Not applicable.	
· Solubility in / Miscibility with		
Water:	Dispersible.	
· Partition coefficient (n-octano	l/water): Not determined.	
·Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
<sup>·</sup> Other information	No relevant information available.	

### 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition, do not overheat.

• Possibility of hazardous reactions:

Reacts with strong acids.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

#### <sup>•</sup> Conditions to avoid:

Temperatures exceeding: 284 °F / 140 °C.

Prevent formation of dust.

- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products: Copper oxides.

<ul> <li>Information on toxicological effects</li> <li>Acute toxicity:</li> </ul>			
	-	at are relevant for classification:	
Oral	LD50	1847 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
Inhalativa	LC50/4h	>2000 mg/m3 (rat)	

Revision: 05/18/2016



# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/18/2016

Trade name: Kocide® 3000

EC50 (static) 0.118 mg/l (daphnia) (48h)

0.00939 mg/l (Pseudokirchneriella subcapitata) (72h)

0.03 mg/l (Pseudokirchneriella subcapitata) (21d) 0.0017 mg/l (Pseudokirchneriella subcapitata) (90d)

ErC50

NOEC

20407 52	0	dibudravida	(Cont'd. of page
		dihydroxide	
Oral	LD50	489 mg/kg (rat)	
		0.451 mg/l (rat)	
Primary in			
		l on available data, the classification criteria are not met.	
• On the ey		g effect. ensitizing effects known.	
		ic toxicity: No relevant information available.	
		-	
		gories I Agency for Research on Cancer):	
14808-60-			
•		icology Program):	
	0	ents are listed.	
	• •	tional Safety & Health Administration):	
None of th	e ingredie	ents are listed.	
· Probable	route(s)	of exposure:	
Inhalation.		•	
Eye conta	ct.		
Skin conta			
		te toxicity, irritation and corrosivity):	
Harmful if	•	•••	
Harmful if		u.	
Irritating to			
		icity: No relevant information available.	
		nogenity, mutagenicity and toxicity for reproduction)	
		<b>icity:</b> Based on available data, the classification criteria are not met.	
		ased on available data, the classification criteria are not met.	
		city: Based on available data, the classification criteria are not met.	
		sure: Based on available data, the classification criteria are not met.	
· STOT-rep	eated ex	posure: Based on available data, the classification criteria are not met	
• Aspiratio	n hazard:	Based on available data, the classification criteria are not met.	
Ecologi	cal info	rmation	
		Ination	
<sup>-</sup> Toxicity			
· Aquatic to	oxicity		
		ganisms	

(Cont'd. on page 9)



Printing date: 05/18/2016

Trade name: Kocide® 3000

Revision: 05/18/2016

(Cont'd. of page 8) 20427-59-2 copper dihydroxide 0.0422 mg/l (daphnia) EC50 0.135 mg/l (Oncorhynchus mykiss) 0.00939 mg/l (Pseudokirchneriella subcapitata) ErC50 NOEC 0.0017 mg/l (fish) (90 d) Persistence and degradability Not readily biodegradable. Estimation based on data obtained on active ingredient. **Bioaccumulative potential:** Not readily biodegradable. Estimation based on data obtained on active ingredient. Mobility in soil: Under actual use conditions, there is no reasonable expectation of any movement of the product from the top soil layer. · Ecotoxical effects: · Remark: Very toxic for fish Additional ecological information · General notes: Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded. Other adverse effects: No relevant information available. 13 Disposal considerations · Waste treatment methods · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. In accordance with local and national regulations. It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packagings

#### · Recommendation:

Do not re-use empty containers.

Disposal must be made according to official regulations.

### **14 Transport information**

· UN-Number · DOT

Classification as a MARINE POLLUTANT is based on MARPOL and DOT rules. Labeling as a MARINE

(Cont'd. on page 10)



Printing date: 05/18/2016

Revision: 05/18/2016

Trade name: Kocide® 3000

	(Cont'd. of page	
ADR, IMDG, IATA	POLLUTANT is not required for non-bulk sin package shipments by motor vehicle, rail car aircraft. Bulk packaging consists of a maxim capacity of greater than 450L (119 gallons) for a liq and a maximum net mass greater than 400kg (8 pounds) for a solid. UN3077	
UN proper shipping name		
DOT	See above.	
ADR IMDG, IATA	3077 ENVIRONMENTALLY HAZARDON SUBSTANCE, SOLID, N.O.S. (copper dihydroxide) ENVIRONMENTALLY HAZARDOUS SUBSTANC SOLID, N.O.S. (copper dihydroxide)	
Transport hazard class(es)		
DOT		
Class	See above.	
ADR		
Class	9 (M7) Miscellaneous dangerous substances a articles	
	9	
Class Label	9 Miscellaneous dangerous substances and articles 9	
Packing group		
DOT	See above.	
ADR, IMDG, IATA	III	
Environmental hazards	N.	
Marine pollutant:	Yes Symbol (fish and tree)	
Special precautions for user	Warning: Miscellaneous dangerous substances a articles	
Danger code (Kemler): EMS Number:	90 F-A,S-F	
	, = -	



Printing date: 05/18/2016

Revision: 05/18/2016

Trade name: Kocide® 3000

	(Cont'd. of page 10)
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	II of Not applicable.
<sup>•</sup> Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197

# 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA · Section 302 (extremely hazardous substances): None of the ingredients are listed. · Section 304 (emergency release notification): None of the ingredients are listed. Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 20427-59-2 copper dihydroxide · TSCA (Toxic Substances Control Act) All ingredients are listed. · Proposition 65 (California) Chemicals known to cause cancer: WARNING! This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm. Chemicals known to cause reproductive toxicity for females: WARNING! This product contains a chemical or chemicals known to the State of California to cause

cancer, birth defects or other reproductive harm.

· Chemicals known to cause reproductive toxicity for males:

WARNING! This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### • Chemicals known to cause developmental toxicity:

WARNING! This product contains a chemical or chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

(Cont'd. on page 12)



Printing date: 05/18/2016

Revision: 05/18/2016

# Trade name: Kocide® 3000

Carcinogenic	categories (Cont'd. of page
•	mental Protection Agency):
None of the ing	gredients are listed.
EPA Product F This chemical	<b>ticide, Fungicide, and Rodenticide Act (FIFRA)</b> Registration #: 91411-2. is a pesticide product registered by the Environmental Protection Agency and is subjecting requirements under federal pesticide law. These requirements differ from t
classification of	criteria and hazard information required for safety data sheets, and for workplace labels chemicals. Following is the hazard information as required on the pesticide label:
	rate eye irritation. Harmful if swallowed, absorbed through the skin or inhaled. Do not ge on clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling.
lenses, if prese	fold eye open and rinse slowly and gently with water for 15-20 minutes. Remove cont ent, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doc
sip a glass of center or docto	ED: Call a poison control center or doctor immediately for treatment advice. Have perswater if able to swallow. Do not induce vomiting unless told to do so by the poison contor. Do not give anything by mouth to an unconscious person.
give artificial further treatme	Move person to fresh air. If person is not breathing, call 911 or an ambulance, th respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor ent advice. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-
minutes. Call	a poison control center or doctor for treatment advice. uct container or label with you when calling a poison control center or doctor, or going
also contact 1- NOTE TO PH	800-255-3924 for emergency medical treatment information. YSICIAN :Probable mucosal damage may contraindicate use of gastric lavage. See La Precautions and Directions for use.
USERS SHO toilet. Removing clean clothin thoroughly and	Y RECOMMENDATIONS JLD: Wash hands before eating, drinking, chewing gum, using tobacco or using t e clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put g. Remove PPE immediately after handling this product. As soon as possible, wa I change into clean clothing. Wash the outside of gloves before removing.
•	tional Agency for Research on Cancer):
14808-60-7 Q	
•	ational Institute for Occupational Safety and Health):
None of the ing	gredients are listed.

# **16 Other information**

(Cont'd. on page 13)



Printing date: 05/18/2016

#### Revision: 05/18/2016

Trade name: Kocide® 3000

(Cont'd. of page 12)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.

· Date of preparation / last revision 05/18/2016 / -

#### • Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Website: www.chemtelinc.com

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity, Hazard Category 3 Acute Tox. 4: Acute toxicity, Hazard Category 4 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573